

INSTRUCTIONS FOR PRODUCTS INTENDED FOR NON-ABSORBENT SURFACES

1. For which products are these instructions intended?

The instructions you are reading apply to all of our company's products intended for non-absorbent surfaces: BRM Nano-Glass, BRM Nano-Industrial Glass, BRM Nano-Plastic, BRM Nano-Stainless Steel, BRM Nano-Bathcare, BRM Nano-Paintprotect, BRM Nano-Pelgenprotect,

1.1. Surface preparation for application.

Before application, surfaces must be clean and dry.

Dust, dirt, glue, oils, etc. that may be present on the surface must be removed, otherwise they are likely to reduce the lifespan of the material.

Clean the surface using standard cleaning methods and allow it to dry.

Once the surface is dry, clean it thoroughly with the Nano-Preclean. Nano-Preclean is not a cleaner. It simply deep cleans the surface from detergent residues. For effective cleaning, use a soft, clean, lint-free cloth. Once the surface is effectively cleaned, we can apply the main product.

1.2. Application of nanotechnology protective coating.

After cleaning the surface, apply the nanotechnology protective coating. The application temperature must be between 20-30°C and strictly not above 35°C. For the application, use a clean, soft, non-absorbent cloth (e.g., linen fabric or something similar). The recommended application method is to spray small sections of the surface evenly, for example 30x30cm, and wipe thoroughly with the cloth until the material is fully absorbed by the surface. After application, avoid washing the surface for 24 hours. After this period has passed, we can test the hydrophobicity of the surface by pouring a little water on it.

2. Safety instructions and precautions.

- The materials contain alcohol and are flammable.
- Do not apply to surfaces that are not resistant to alcohol. If you have doubts about a surface's resistance, test it first on a small, inconspicuous area.
- Keep out of reach of children.
- Do not ingest.

- Any leftover material can be stored in the container for up to two years at room temperature.
- The use of gloves, protective goggles, and a mask is recommended for the application.
- The material is not diluted, but used as is (ready-to-use).
- Dispose of empty packaging in a recycling bin - Protect the environment!
- We strongly recommend that users with no prior experience with our materials first try small-scale applications in order to familiarize themselves.